
Beneath
the Surface
NYLON MODULAR CARPET
Carpets Inter.®

SCRATCH THE SURFACE TO REVEAL THE INNER BEAUTY OF WHAT LIES BENEATH. . . . INSPIRED BY THE MOVEMENT OF LAVA AS IT FLOWS UNDERGROUND, AND THE TEXTURES LEFT BEHIND ON THE EARTH'S SURFACE AS IT COOLS. BENEATH THE SURFACE IS DESIGNED TO CAPTURE THE DISRUPTIVE NATURE, THE MOVEMENT AND THE AFTERMATH OF A VOLCANIC ERUPTION. THE COLLECTION PROVIDES A DYNAMIC SENSE OF FLOW AND MOVEMENT IN VERY NATURAL COLOUR TONES WITH THE OCCASIONAL EMERGENCE OF HOT LAVA, GEM LIKE FORMATIONS WITHIN THE CRACKS OR THE REBIRTH OF NATURE AS GRASS AND MOSS BEGIN TO GROW ON THE DEVASTATED LANDSCAPE.








BENEATH THE SURFACE

Tile Size 25 x 100 cm.



MERAPI
SF 01



KRAKATOA
SF 02



KILAUEA
SF 03



OBSIDIAN
SF 04



EREBUS
SF 05



BASALT
SF 06



BATUR
SF 07



FUJI
SF 08



VESUVIUS
SF 09









Erebus SF 05
Sapo FL 10
Lantoto FL 11
Kanto FL 21



Merapi SF 01
Obsidian SF 04



KRAKATOA SF 02

PAMPAS FL 20

PARTNER BENEATH THE
TO CREATE VIBRANT CO





KILAUEA SF 03



AKANDA FL 06



SAPO FL 10



SURFACE WITH FLATLANDS
OLOR COMBINATIONS.



Basalt SF 06

A DYNAMIC SENSE OF FLOW AND MOVEMENT IN COLORS REFLECTED FROM NATURAL FORCES.



Merapi SF 01
Kedu FL 22



Fuji SF 08





Vesuvius SF 09

SCRATCH THE SURFACE TO REVEAL THE INNER BEAUTY OF WHAT LIES BENEATH. . . .



We will RECYCLE OVER 1,000,000,000 discarded PLASTIC BOTTLES by 2025

EcoSoft®

Sustainable Performance and Value

EcoSoft® is made from 80% post-consumer material reengineered from millions of discarded drinking water bottles, plus 5 to 10% post-industrial recycled PET. This environmentally friendly backing not only meets all the stringent performance criteria required for modular carpet, but consistently out performs conventional PVC and bitumen hard back, as well as urethane cushion back in terms of durability, underfoot comfort, acoustical propensity and indoor air quality.



EcoSoft uses roughly 50 x 550 ml.
recycled PET bottles for every square meter of product.

Declare. Red List Free NOISE REDUCTION

EcoSoft® Outstanding Features

> 85% recycled content backing

> 100% recyclable

> No PVC, Bitumen or Fiberglass content

> Suitable for installation onto wet slab up to 99% RH

> Superior Acoustical Propensity - outperforms hardback by 150% to 175% per Green Star IEQ10 internal noise level requirements

> Excellent Dimensional Stability BS EN 986 less than 0.15%

> Cushioning reduces wear and tear, fiber crush and user fatigue

> EcoSoft® backed modular carpet product contributes up to 6 LEED points

In view of the superior properties outlined above, modular carpet with EcoSoft® backing is the ideal choice for Education facilities.



EcoSquare®

Sustainable Performance and Value

EcoSquare® is another step in Carpet Inter's ongoing Sustainability and Reclamation program, repurposing waste material into a recycled high performance modular carpet backing.



EcoSquare® Outstanding Features

> 63.5% recycled content backing

> 100% recyclable

> Meets Greenstar best practice guidelines

> Free of toxic plasticisers and stabilisers

> Excellent Dimensional Stability BS EN 986 less than 0.15%

> EcoSquare® backed modular carpet product contributes up to 5 LEED points



Headquarters

2054 New Petchburi Road
Bangkapi, Huaykwang, Bangkok 10310 Thailand
Tel +66 (0) 2314-5402, Fax +66 (0) 2318-3537
www.carpetsinter.com, info@carpetsinter.com

Please contact your local Carpets Inter representative for samples.